

HMP-EDB-POG-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3769
Strain: HMP-EDB-POG-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIZY HEMP

Lic. #
.,
., CA, 90001



Summary

| Test | Date Tested | Instr. Method | Result |
|----------------------|-------------|----------------------|------------------|
| Batch | | | Pass |
| Cannabinoids | 01/31/2023 | LC-DAD | Complete |
| Water Activity | 01/31/2023 | Water Activity Meter | 0.5729 aw - Pass |
| Pesticides | 01/31/2023 | LC-MS | Pass |
| Mycotoxins | 01/31/2023 | LC-MS | Pass |
| Residual Solvents | 01/31/2023 | HS-GC-MS | Pass |
| Microbial Impurities | 02/01/2023 | qPCR | Pass |
| Heavy Metals | 02/01/2023 | ICP-MS | Pass |
| Foreign Matter | 01/31/2023 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

| | | |
|------------------------|------------------------|---|
| ND Total THC | ND Total CBD | 949.47 mg/unit Total Cannabinoids |
|------------------------|------------------------|---|

| Analytes | LOD | LOQ | Result | Result | Result | Result |
|----------------------------|-------|-------|--------------|--------------|----------------|---------------|
| | mg/g | mg/g | % | mg/g | mg/unit | mg/serving |
| THCa | 0.012 | 0.037 | ND | ND | ND | ND |
| Δ9-THC | 0.013 | 0.040 | ND | ND | ND | ND |
| Δ8-THC | 0.015 | 0.044 | 0.215 | 2.15 | 83.95 | 5.596 |
| THCVa | 0.014 | 0.043 | ND | ND | ND | ND |
| THCV | 0.015 | 0.045 | ND | ND | ND | ND |
| CBDa | 0.013 | 0.039 | ND | ND | ND | ND |
| CBD | 0.013 | 0.038 | ND | ND | ND | ND |
| CBN | 0.012 | 0.036 | ND | ND | ND | ND |
| CBGa | 0.014 | 0.043 | ND | ND | ND | ND |
| CBG | 0.013 | 0.039 | ND | ND | ND | ND |
| CBCa | 0.011 | 0.035 | ND | ND | ND | ND |
| CBC | 0.013 | 0.041 | ND | ND | ND | ND |
| HHC (9R+9S)* | 0.000 | 0.000 | 2.214 | 22.14 | 865.52 | 57.701 |
| Total THC | | | ND | ND | ND | ND |
| Total CBD | | | ND | ND | ND | ND |
| Total Cannabinoids | | | 2.428 | 24.28 | 949.465 | 63.298 |
| Sum of Cannabinoids | | | 2.428 | 24.28 | 949.464 | 63.298 |

1 Unit = 39.1g; 15 servings per container;
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER

*LOD/LOQ not evaluated; beyond scope of accreditation



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-POG-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3769
Strain: HMP-EDB-POG-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP
Lic. #
,,
,, CA, 90001

Pesticides

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.30 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 30.00 | ND | Pass |
| Acephate | 0.002 | 0.01 | 5.00 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 2.00 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 4.00 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 5.00 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 3.00 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 1.00 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 40.00 | ND | Pass | Malathion | 0.02 | 0.05 | 5.00 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 5.00 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 15.00 | ND | Pass |
| Bifenthrin | 0.02 | 0.05 | 0.50 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 10.00 | ND | Pass | Methomyl | 0.01 | 0.02 | 0.10 | ND | Pass |
| Captan | 0.2 | 0.3 | 5.00 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.50 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 9.00 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND | Pass | Naled | 0.01 | 0.02 | 0.50 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.20 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Paclobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | PCNB | 0.02 | 0.05 | 0.20 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.50 | ND | Pass | Permethrin | 0.02 | 0.05 | 20.00 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.05 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.20 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 1.00 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 8.00 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1.00 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.40 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.05 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.20 | ND | Pass | Propoxure | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.05 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.05 | ND | Pass | Pyridaben | 0.005 | 0.01 | 3.00 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 20.00 | ND | Pass | Spinetoram | 0.005 | 0.01 | 3.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 3.00 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 12.00 | ND | Pass |
| Etoazole | 0.005 | 0.02 | 1.50 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 13.00 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 10.00 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 2.00 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 2.00 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.05 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 4.50 | ND | Pass |
| Flonicamid | 0.01 | 0.02 | 2.00 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 30.00 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-POG-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3769
Strain: HMP-EDB-POG-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP
Lic. #
,,
,, CA, 90001

Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin B2 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin G1 | 2.00 | 4.00 | | ND | Tested |
| Aflatoxin G2 | 1.00 | 2.00 | | ND | Tested |
| Ochratoxin A | 4.00 | 10.00 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 33.00 | 100.00 | 5000 | ND | Pass |
| Acetonitrile | 10.00 | 30.00 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 10.00 | 30.00 | 5000 | ND | Pass |
| Chloroform | 0.10 | 0.29 | 1 | ND | Pass |
| Ethanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethyl-Acetate | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethyl-Ether | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 10.00 | 30.00 | 5000 | ND | Pass |
| n-Hexane | 10.00 | 30.00 | 290 | ND | Pass |
| Isopropanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Methanol | 10.00 | 30.00 | 3000 | ND | Pass |
| Methylene-Chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloro-Ethane | 0.10 | 0.29 | 1 | ND | Pass |
| Pentane | 10.00 | 30.00 | 5000 | ND | Pass |
| Propane | 10.00 | 30.00 | 5000 | ND | Pass |
| Toluene | 10.00 | 30.00 | 890 | ND | Pass |
| Xylenes | 20.00 | 60.00 | 2170 | ND | Pass |
| Trichloroethene | 0.10 | 0.29 | 1 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes | Result | Status |
|--|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 02/01/2023



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-POG-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3769
Strain: HMP-EDB-POG-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP

Lic. #
.,
., CA, 90001

Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 1.500 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.500 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 3.000 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-PPD-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3765
Strain: HMP-EDB-PPD-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIZY HEMP

Lic. #
.,
., CA, 90001



Summary

| Test | Date Tested | Instr. Method | Result |
|----------------------|-------------|----------------------|------------------|
| Batch | | | Pass |
| Cannabinoids | 01/31/2023 | LC-DAD | Complete |
| Water Activity | 01/31/2023 | Water Activity Meter | 0.5938 aw - Pass |
| Pesticides | 01/31/2023 | LC-MS | Pass |
| Mycotoxins | 01/31/2023 | LC-MS | Pass |
| Residual Solvents | 01/31/2023 | HS-GC-MS | Pass |
| Microbial Impurities | 02/01/2023 | qPCR | Pass |
| Heavy Metals | 02/01/2023 | ICP-MS | Pass |
| Foreign Matter | 01/31/2023 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

| | | |
|------------------------|------------------------|---|
| ND Total THC | ND Total CBD | 823.29 mg/unit Total Cannabinoids |
|------------------------|------------------------|---|

| Analytes | LOD | LOQ | Result | Result | Result | Result |
|----------------------------|-------|-------|--------------|--------------|----------------|---------------|
| | mg/g | mg/g | % | mg/g | mg/unit | mg/serving |
| THCa | 0.013 | 0.038 | ND | ND | ND | ND |
| Δ9-THC | 0.013 | 0.041 | ND | ND | ND | ND |
| Δ8-THC | 0.015 | 0.045 | 0.144 | 1.44 | 56.44 | 3.763 |
| THCVa | 0.014 | 0.044 | ND | ND | ND | ND |
| THCV | 0.015 | 0.045 | ND | ND | ND | ND |
| CBDa | 0.013 | 0.040 | ND | ND | ND | ND |
| CBD | 0.013 | 0.038 | ND | ND | ND | ND |
| CBN | 0.012 | 0.036 | ND | ND | ND | ND |
| CBGa | 0.014 | 0.043 | ND | ND | ND | ND |
| CBG | 0.013 | 0.040 | ND | ND | ND | ND |
| CBCa | 0.012 | 0.035 | ND | ND | ND | ND |
| CBC | 0.014 | 0.041 | ND | ND | ND | ND |
| HHC (9R+9S)* | 0.000 | 0.000 | 1.961 | 19.61 | 766.85 | 51.123 |
| Total THC | | | ND | ND | ND | ND |
| Total CBD | | | ND | ND | ND | ND |
| Total Cannabinoids | | | 2.106 | 21.06 | 823.290 | 54.886 |
| Sum of Cannabinoids | | | 2.106 | 21.06 | 823.290 | 54.886 |

1 Unit = 39.1g; 15 servings per container;
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER

*LOD/LOQ not evaluated; beyond scope of accreditation



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-PPD-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3765
Strain: HMP-EDB-PPD-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP
Lic. #
,,
,, CA, 90001

Pesticides

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.30 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 30.00 | ND | Pass |
| Acephate | 0.002 | 0.01 | 5.00 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 2.00 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 4.00 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 5.00 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 3.00 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 1.00 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 40.00 | ND | Pass | Malathion | 0.02 | 0.05 | 5.00 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 5.00 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 15.00 | ND | Pass |
| Bifenthrin | 0.02 | 0.05 | 0.50 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 10.00 | ND | Pass | Methomyl | 0.01 | 0.02 | 0.10 | ND | Pass |
| Captan | 0.2 | 0.3 | 5.00 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.50 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 9.00 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 40.00 | ND | Pass | Naled | 0.01 | 0.02 | 0.50 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.20 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Paclobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | PCNB | 0.02 | 0.05 | 0.20 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.50 | ND | Pass | Permethrin | 0.02 | 0.05 | 20.00 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.05 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.20 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 1.00 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 8.00 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1.00 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.40 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.05 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.20 | ND | Pass | Propoxure | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.05 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.05 | ND | Pass | Pyridaben | 0.005 | 0.01 | 3.00 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 20.00 | ND | Pass | Spinetoram | 0.005 | 0.01 | 3.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 3.00 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 12.00 | ND | Pass |
| Etoazole | 0.005 | 0.02 | 1.50 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 13.00 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 10.00 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 2.00 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 2.00 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.05 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 4.50 | ND | Pass |
| Flonicamid | 0.01 | 0.02 | 2.00 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 30.00 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-PPD-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3765
Strain: HMP-EDB-PPD-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP
Lic. #
., CA, 90001

Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin B2 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin G1 | 2.00 | 4.00 | | ND | Tested |
| Aflatoxin G2 | 1.00 | 2.00 | | ND | Tested |
| Ochratoxin A | 4.00 | 10.00 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 33.00 | 100.00 | 5000 | ND | Pass |
| Acetonitrile | 10.00 | 30.00 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 10.00 | 30.00 | 5000 | ND | Pass |
| Chloroform | 0.10 | 0.29 | 1 | ND | Pass |
| Ethanol | 10.00 | 30.00 | 5000 | 46.39 | Pass |
| Ethyl-Acetate | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethyl-Ether | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 10.00 | 30.00 | 5000 | ND | Pass |
| n-Hexane | 10.00 | 30.00 | 290 | ND | Pass |
| Isopropanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Methanol | 10.00 | 30.00 | 3000 | ND | Pass |
| Methylene-Chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloro-Ethane | 0.10 | 0.29 | 1 | ND | Pass |
| Pentane | 10.00 | 30.00 | 5000 | ND | Pass |
| Propane | 10.00 | 30.00 | 5000 | ND | Pass |
| Toluene | 10.00 | 30.00 | 890 | ND | Pass |
| Xylenes | 20.00 | 60.00 | 2170 | ND | Pass |
| Trichloroethene | 0.10 | 0.29 | 1 | ND | Pass |

Date Tested: 01/31/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes | Result | Status |
|--|--------------------|--------|
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 02/01/2023



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-EDB-PPD-012423

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1166_3765
Strain: HMP-EDB-PPD-012423
Matrix: Ingestible
Type: Soft Chew
Batch#:

Collected: 01/30/2023
Received: 01/30/2023
Completed: 02/03/2023
Sample Size: 1 units;

Distributor
STIIIZY HEMP

Lic. #
.,
., CA, 90001

Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 1.500 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.500 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 3.000 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023

