

HMP-PDHHC-PRP-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3781
Strain: HMP-PDHHC-PRP-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIZY HEMP
Lic. #
.,
., CA, 90001



Summary

| Test | Date Tested | Instr. Method | Result |
|----------------------|-------------|-------------------|----------|
| Batch | | | Pass |
| Cannabinoids | 02/01/2023 | LC-DAD | Complete |
| Pesticides | 02/01/2023 | LC-MS | Pass |
| Mycotoxins | 02/01/2023 | LC-MS | Pass |
| Residual Solvents | 02/01/2023 | HS-GC-MS | Pass |
| Microbial Impurities | 02/02/2023 | qPCR | Pass |
| Heavy Metals | 02/02/2023 | ICP-MS | Pass |
| Foreign Matter | 02/01/2023 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

| | | |
|------------------------|------------------------|---------------------------------------|
| ND Total THC | ND Total CBD | 92.611 % Total Cannabinoids |
|------------------------|------------------------|---------------------------------------|

| Analytes | LOD | LOQ | Result | Result |
|----------------------------|-------|-------|---------------|---------------|
| | mg/g | mg/g | % | mg/g |
| THCa | 0.242 | 0.734 | ND | ND |
| Δ9-THC | 0.259 | 0.785 | ND | ND |
| Δ8-THC | 0.286 | 0.868 | 1.004 | 10.04 |
| THCVa | 0.279 | 0.846 | ND | ND |
| THCV | 0.289 | 0.875 | ND | ND |
| CBDa | 0.254 | 0.769 | ND | ND |
| CBD | 0.245 | 0.741 | ND | ND |
| CBN | 0.230 | 0.698 | 0.200 | 2.00 |
| CBGa | 0.276 | 0.835 | ND | ND |
| CBG | 0.254 | 0.770 | ND | ND |
| CBCa | 0.225 | 0.681 | ND | ND |
| CBC | 0.264 | 0.800 | ND | ND |
| HHC (9R+9S)* | 0.000 | 0.000 | 91.406 | 914.06 |
| Total THC | | | ND | ND |
| Total CBD | | | ND | ND |
| Total Cannabinoids | | | 92.611 | 926.11 |
| Sum of Cannabinoids | | | 92.611 | 926.11 |

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER

*LOD/LOQ not evaluated; beyond scope of accreditation



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-PRP-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3781
Strain: HMP-PDHHC-PRP-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP

Lic. #
.,
., CA, 90001

Pesticides

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.10 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 0.10 | ND | Pass |
| Acephate | 0.002 | 0.01 | 0.10 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 0.10 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 0.10 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 0.10 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 5.00 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 0.10 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 0.10 | ND | Pass | Malathion | 0.02 | 0.05 | 0.50 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 0.10 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 2.00 | ND | Pass |
| Bifenthrin | 0.02 | 0.05 | 3.00 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 0.10 | ND | Pass | Methomyl | 0.01 | 0.02 | 1.00 | ND | Pass |
| Captan | 0.2 | 0.3 | 0.70 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.50 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.02 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 10.00 | ND | Pass | Naled | 0.01 | 0.02 | 0.10 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.50 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Paclobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | PCNB | 0.02 | 0.05 | 0.10 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.10 | ND | Pass | Permethrin | 0.02 | 0.05 | 0.50 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.02 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.10 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 2.00 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 3.00 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1.00 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.10 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.02 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.10 | ND | Pass | Propoxure | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.02 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 0.50 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.02 | ND | Pass | Pyridaben | 0.005 | 0.01 | 0.10 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 2.00 | ND | Pass | Spinetoram | 0.005 | 0.01 | 0.10 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 0.10 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 0.10 | ND | Pass |
| Etoazole | 0.005 | 0.02 | 0.10 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 0.10 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 0.10 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.02 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 5.00 | ND | Pass |
| Flonicamid | 0.01 | 0.02 | 0.10 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 0.10 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-PRP-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3781
Strain: HMP-PDHHC-PRP-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP
Lic. #
., CA, 90001

Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin B2 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin G1 | 2.00 | 4.00 | | ND | Tested |
| Aflatoxin G2 | 1.00 | 2.00 | | ND | Tested |
| Ochratoxin A | 4.00 | 10.00 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 33.00 | 100.00 | 5000 | ND | Pass |
| Acetonitrile | 10.00 | 30.00 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 10.00 | 30.00 | 5000 | ND | Pass |
| Chloroform | 0.10 | 0.29 | 1 | ND | Pass |
| Ethanol | 10.00 | 30.00 | 5000 | 110.75 | Pass |
| Ethyl-Acetate | 10.00 | 30.00 | 5000 | 43.14 | Pass |
| Ethyl-Ether | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 10.00 | 30.00 | 5000 | ND | Pass |
| n-Hexane | 10.00 | 30.00 | 290 | ND | Pass |
| Isopropanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Methanol | 10.00 | 30.00 | 3000 | ND | Pass |
| Methylene-Chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloro-Ethane | 0.10 | 0.29 | 1 | ND | Pass |
| Pentane | 10.00 | 30.00 | 5000 | ND | Pass |
| Propane | 10.00 | 30.00 | 5000 | ND | Pass |
| Toluene | 10.00 | 30.00 | 890 | ND | Pass |
| Xylenes | 20.00 | 60.00 | 2170 | ND | Pass |
| Trichloroethene | 0.10 | 0.29 | 1 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-PRP-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3781
Strain: HMP-PDHHC-PRP-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP

Lic. #
.,
., CA, 90001

Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes | Result | Status |
|--|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 02/02/2023

Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 0.200 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.200 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 0.100 | ND | Pass |

Date Tested: 02/02/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHK-KLO-A2623

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3782
Strain: HMP-PDHHK-KLO-A2623
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIZY HEMP
Lic. #
.,
., CA, 90001



Summary

| Test | Date Tested | Instr. Method | Result |
|----------------------|-------------|-------------------|----------|
| Batch | | | Pass |
| Cannabinoids | 02/01/2023 | LC-DAD | Complete |
| Pesticides | 02/01/2023 | LC-MS | Pass |
| Mycotoxins | 02/01/2023 | LC-MS | Pass |
| Residual Solvents | 02/01/2023 | HS-GC-MS | Pass |
| Microbial Impurities | 02/02/2023 | qPCR | Pass |
| Heavy Metals | 02/02/2023 | ICP-MS | Pass |
| Foreign Matter | 02/01/2023 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

| | | |
|------------------------|-----------------------------|---------------------------------------|
| ND Total THC | 0.262 % Total CBD | 93.233 % Total Cannabinoids |
|------------------------|-----------------------------|---------------------------------------|

| Analytes | LOD | LOQ | Result | Result |
|----------------------------|-------|-------|---------------|---------------|
| | mg/g | mg/g | % | mg/g |
| THCa | 0.242 | 0.735 | ND | ND |
| Δ9-THC | 0.260 | 0.786 | ND | ND |
| Δ8-THC | 0.287 | 0.869 | 0.484 | 4.84 |
| THCVa | 0.280 | 0.848 | ND | ND |
| THCV | 0.289 | 0.877 | ND | ND |
| CBDa | 0.254 | 0.771 | ND | ND |
| CBD | 0.245 | 0.743 | 0.262 | 2.62 |
| CBN | 0.231 | 0.700 | 0.193 | 1.93 |
| CBGa | 0.276 | 0.837 | ND | ND |
| CBG | 0.255 | 0.771 | ND | ND |
| CBCa | 0.225 | 0.682 | ND | ND |
| CBC | 0.264 | 0.801 | ND | ND |
| HHC (9R+9S)* | 0.000 | 0.000 | 92.294 | 922.94 |
| Total THC | | | ND | ND |
| Total CBD | | | 0.262 | 2.62 |
| Total Cannabinoids | | | 93.233 | 932.33 |
| Sum of Cannabinoids | | | 93.233 | 932.33 |

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER

*LOD/LOQ not evaluated; beyond scope of accreditation



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-KLO-A2623

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3782
Strain: HMP-PDHHC-KLO-A2623
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP
Lic. #
,,
,, CA, 90001

Pesticides

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.10 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 0.10 | ND | Pass |
| Acephate | 0.002 | 0.01 | 0.10 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 0.10 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 0.10 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 0.10 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 5.00 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 0.10 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 0.10 | ND | Pass | Malathion | 0.02 | 0.05 | 0.50 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 0.10 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 2.00 | <LOQ | Pass |
| Bifenthrin | 0.02 | 0.05 | 3.00 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 0.10 | ND | Pass | Methomyl | 0.01 | 0.02 | 1.00 | ND | Pass |
| Captan | 0.2 | 0.3 | 0.70 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.50 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.02 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 10.00 | ND | Pass | Naled | 0.01 | 0.02 | 0.10 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.50 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Paclobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | PCNB | 0.02 | 0.05 | 0.10 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.10 | ND | Pass | Permethrin | 0.02 | 0.05 | 0.50 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.02 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.10 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 2.00 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 3.00 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1.00 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.10 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.02 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.10 | ND | Pass | Propoxure | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.02 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 0.50 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.02 | ND | Pass | Pyridaben | 0.005 | 0.01 | 0.10 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 2.00 | ND | Pass | Spinetoram | 0.005 | 0.01 | 0.10 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 0.10 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 0.10 | ND | Pass |
| Etoazole | 0.005 | 0.02 | 0.10 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 0.10 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 0.10 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.02 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 5.00 | ND | Pass |
| Flonicamid | 0.01 | 0.02 | 0.10 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 0.10 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-KLO-A2623

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3782
Strain: HMP-PDHHC-KLO-A2623
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP
Lic. #
., CA, 90001

Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin B2 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin G1 | 2.00 | 4.00 | | ND | Tested |
| Aflatoxin G2 | 1.00 | 2.00 | | ND | Tested |
| Ochratoxin A | 4.00 | 10.00 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 33.00 | 100.00 | 5000 | ND | Pass |
| Acetonitrile | 10.00 | 30.00 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 10.00 | 30.00 | 5000 | ND | Pass |
| Chloroform | 0.10 | 0.29 | 1 | ND | Pass |
| Ethanol | 10.00 | 30.00 | 5000 | <LOQ | Pass |
| Ethyl-Acetate | 10.00 | 30.00 | 5000 | 120.72 | Pass |
| Ethyl-Ether | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 10.00 | 30.00 | 5000 | ND | Pass |
| n-Hexane | 10.00 | 30.00 | 290 | ND | Pass |
| Isopropanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Methanol | 10.00 | 30.00 | 3000 | ND | Pass |
| Methylene-Chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloro-Ethane | 0.10 | 0.29 | 1 | ND | Pass |
| Pentane | 10.00 | 30.00 | 5000 | ND | Pass |
| Propane | 10.00 | 30.00 | 5000 | ND | Pass |
| Toluene | 10.00 | 30.00 | 890 | ND | Pass |
| Xylenes | 20.00 | 60.00 | 2170 | ND | Pass |
| Trichloroethene | 0.10 | 0.29 | 1 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-KLO-A2623

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3782
Strain: HMP-PDHHC-KLO-A2623
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIZY HEMP

Lic. #
.,
., CA, 90001

Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes | Result | Status |
|--|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 02/02/2023

Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 0.200 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.200 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 0.100 | ND | Pass |

Date Tested: 02/02/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-BDC-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3783
Strain: HMP-PDHHC-BDC-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIZY HEMP
Lic. #
.,
., CA, 90001



Summary

| Test | Date Tested | Instr. Method | Result |
|----------------------|-------------|-------------------|----------|
| Batch | | | Pass |
| Cannabinoids | 02/01/2023 | LC-DAD | Complete |
| Pesticides | 02/01/2023 | LC-MS | Pass |
| Mycotoxins | 02/01/2023 | LC-MS | Pass |
| Residual Solvents | 02/01/2023 | HS-GC-MS | Pass |
| Microbial Impurities | 02/02/2023 | qPCR | Pass |
| Heavy Metals | 02/02/2023 | ICP-MS | Pass |
| Foreign Matter | 02/01/2023 | Visual Inspection | Pass |

Cannabinoids

Method: SOP EL-CANNABINOIDS

| | | |
|------------------------|------------------------|---------------------------------------|
| ND Total THC | ND Total CBD | 95.553 % Total Cannabinoids |
|------------------------|------------------------|---------------------------------------|

| Analytes | LOD | LOQ | Result | Result |
|----------------------------|-------|-------|---------------|---------------|
| | mg/g | mg/g | % | mg/g |
| THCa | 0.246 | 0.745 | ND | ND |
| Δ9-THC | 0.263 | 0.797 | ND | ND |
| Δ8-THC | 0.291 | 0.881 | 1.099 | 10.99 |
| THCVa | 0.284 | 0.859 | ND | ND |
| THCV | 0.293 | 0.889 | ND | ND |
| CBDa | 0.258 | 0.781 | ND | ND |
| CBD | 0.248 | 0.753 | ND | ND |
| CBN | 0.234 | 0.709 | 0.102 | 1.02 |
| CBGa | 0.280 | 0.848 | ND | ND |
| CBG | 0.258 | 0.782 | ND | ND |
| CBCa | 0.228 | 0.691 | ND | ND |
| CBC | 0.268 | 0.812 | ND | ND |
| HHC (9R+9S)* | 0.000 | 0.000 | 94.352 | 943.52 |
| Total THC | | | ND | ND |
| Total CBD | | | ND | ND |
| Total Cannabinoids | | | 95.553 | 955.53 |
| Sum of Cannabinoids | | | 95.553 | 955.53 |

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER

*LOD/LOQ not evaluated; beyond scope of accreditation



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-BDC-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3783
Strain: HMP-PDHHC-BDC-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP
Lic. #
,,
,, CA, 90001

Pesticides

Method: EL-PESTMVLCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status | Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|------|-------|--------|--------|--------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.005 | 0.02 | 0.10 | ND | Pass | Fludioxonil | 0.01 | 0.05 | 0.10 | ND | Pass |
| Acephate | 0.002 | 0.01 | 0.10 | ND | Pass | Hexythiazox | 0.005 | 0.02 | 0.10 | ND | Pass |
| Acequinocyl | 0.01 | 0.02 | 0.10 | ND | Pass | Imazalil | 0.05 | 0.1 | 0.05 | ND | Pass |
| Acetamiprid | 0.005 | 0.02 | 0.10 | ND | Pass | Imidacloprid | 0.005 | 0.02 | 5.00 | ND | Pass |
| Aldicarb | 0.05 | 0.1 | 0.05 | ND | Pass | Kresoxim Methyl | 0.005 | 0.02 | 0.10 | ND | Pass |
| Azoxystrobin | 0.005 | 0.02 | 0.10 | ND | Pass | Malathion | 0.02 | 0.05 | 0.50 | ND | Pass |
| Bifenazate | 0.005 | 0.01 | 0.10 | ND | Pass | Metalaxyl | 0.002 | 0.005 | 2.00 | ND | Pass |
| Bifenthrin | 0.02 | 0.05 | 3.00 | ND | Pass | Methiocarb | 0.05 | 0.1 | 0.05 | ND | Pass |
| Boscalid | 0.02 | 0.05 | 0.10 | ND | Pass | Methomyl | 0.01 | 0.02 | 1.00 | ND | Pass |
| Captan | 0.2 | 0.3 | 0.70 | ND | Pass | Parathion Methyl | 0.02 | 0.05 | 0.05 | ND | Pass |
| Carbaryl | 0.02 | 0.05 | 0.50 | ND | Pass | Mevinphos | 0.02 | 0.05 | 0.02 | ND | Pass |
| Carbofuran | 0.05 | 0.1 | 0.05 | ND | Pass | Myclobutanil | 0.005 | 0.01 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.002 | 0.01 | 10.00 | ND | Pass | Naled | 0.01 | 0.02 | 0.10 | ND | Pass |
| Chlordane | 0.05 | 0.1 | 0.05 | ND | Pass | Oxamyl | 0.005 | 0.01 | 0.50 | ND | Pass |
| Chlorfenapyr | 0.05 | 0.1 | 0.05 | ND | Pass | Paclobutrazol | 0.05 | 0.1 | 0.05 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.1 | 0.05 | ND | Pass | PCNB | 0.02 | 0.05 | 0.10 | ND | Pass |
| Clofentezine | 0.01 | 0.02 | 0.10 | ND | Pass | Permethrin | 0.02 | 0.05 | 0.50 | ND | Pass |
| Coumaphos | 0.02 | 0.05 | 0.02 | ND | Pass | Phosmet | 0.01 | 0.02 | 0.10 | ND | Pass |
| Cyfluthrin | 0.05 | 0.1 | 2.00 | ND | Pass | Piperonyl Butoxide | 0.02 | 0.05 | 3.00 | ND | Pass |
| Cypermethrin | 0.1 | 0.2 | 1.00 | ND | Pass | Prallethrin | 0.005 | 0.02 | 0.10 | ND | Pass |
| Daminozide | 0.02 | 0.05 | 0.02 | ND | Pass | Propiconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Diazinon | 0.002 | 0.01 | 0.10 | ND | Pass | Propoxure | 0.05 | 0.1 | 0.05 | ND | Pass |
| Dichlorvos | 0.02 | 0.05 | 0.02 | ND | Pass | Pyrethrins | 0.02 | 0.05 | 0.50 | ND | Pass |
| Dimethoate | 0.02 | 0.05 | 0.02 | ND | Pass | Pyridaben | 0.005 | 0.01 | 0.10 | ND | Pass |
| Dimethomorph | 0.005 | 0.02 | 2.00 | ND | Pass | Spinetoram | 0.005 | 0.01 | 0.10 | ND | Pass |
| Ethoprophos | 0.05 | 0.1 | 0.05 | ND | Pass | Spinosad | 0.005 | 0.01 | 0.10 | ND | Pass |
| Etofenprox | 0.05 | 0.1 | 0.05 | ND | Pass | Spiromesifen | 0.01 | 0.02 | 0.10 | ND | Pass |
| Etoxazole | 0.005 | 0.02 | 0.10 | ND | Pass | Spirotetramat | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenhexamid | 0.005 | 0.02 | 0.10 | ND | Pass | Spiroxamine | 0.05 | 0.1 | 0.05 | ND | Pass |
| Fenoxycarb | 0.05 | 0.1 | 0.05 | ND | Pass | Tebuconazole | 0.005 | 0.01 | 0.10 | ND | Pass |
| Fenpyroximate | 0.005 | 0.02 | 0.10 | ND | Pass | Thiacloprid | 0.02 | 0.05 | 0.02 | ND | Pass |
| Fipronil | 0.05 | 0.1 | 0.05 | ND | Pass | Thiamethoxam | 0.005 | 0.01 | 5.00 | ND | Pass |
| Flonicamid | 0.01 | 0.02 | 0.10 | ND | Pass | Trifloxystrobin | 0.005 | 0.01 | 0.10 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan
Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-BDC-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3783
Strain: HMP-PDHHC-BDC-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP
Lic. #
., CA, 90001

Mycotoxins

Method: EL-PESTMYCOLCMS

| Analytes | LOD | LOQ | Limit | Result | Status |
|------------------|-------|-------|-------|--------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin B2 | 1.00 | 2.00 | | ND | Tested |
| Aflatoxin G1 | 2.00 | 4.00 | | ND | Tested |
| Aflatoxin G2 | 1.00 | 2.00 | | ND | Tested |
| Ochratoxin A | 4.00 | 10.00 | 20.00 | ND | Pass |
| Total Aflatoxins | | | 20.00 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

| Analytes | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Acetone | 33.00 | 100.00 | 5000 | ND | Pass |
| Acetonitrile | 10.00 | 30.00 | 410 | ND | Pass |
| Benzene | 0.09 | 0.28 | 1 | ND | Pass |
| Butane | 10.00 | 30.00 | 5000 | ND | Pass |
| Chloroform | 0.10 | 0.29 | 1 | ND | Pass |
| Ethanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethyl-Acetate | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethyl-Ether | 10.00 | 30.00 | 5000 | ND | Pass |
| Ethylene Oxide | 0.08 | 0.24 | 1 | ND | Pass |
| Heptane | 10.00 | 30.00 | 5000 | ND | Pass |
| n-Hexane | 10.00 | 30.00 | 290 | ND | Pass |
| Isopropanol | 10.00 | 30.00 | 5000 | ND | Pass |
| Methanol | 10.00 | 30.00 | 3000 | ND | Pass |
| Methylene-Chloride | 0.10 | 0.31 | 1 | ND | Pass |
| 1,2-Dichloro-Ethane | 0.10 | 0.29 | 1 | ND | Pass |
| Pentane | 10.00 | 30.00 | 5000 | ND | Pass |
| Propane | 10.00 | 30.00 | 5000 | ND | Pass |
| Toluene | 10.00 | 30.00 | 890 | ND | Pass |
| Xylenes | 20.00 | 60.00 | 2170 | ND | Pass |
| Trichloroethene | 0.10 | 0.29 | 1 | ND | Pass |

Date Tested: 02/01/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023



HMP-PDHHC-BDC-A2523

METRC Batch:
METRC Sample:
Sample ID: 2301ENC1168_3783
Strain: HMP-PDHHC-BDC-A2523
Matrix: Concentrates & Extracts
Type: Distillate
Batch#:

Collected: 02/01/2023
Received: 02/01/2023
Completed: 02/03/2023
Sample Size: 8 units;

Distributor
STIIIZY HEMP

Lic. #
.,
., CA, 90001

Microbial Impurities

Method: SOP EL-MICROBIALS

| Analytes | Result | Status |
|--|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing Escherichia coli | Not Detected in 1g | Pass |
| Salmonella spp | Not Detected in 1g | Pass |

Date Tested: 02/02/2023

Heavy Metals

Method: SOP EL-HEAVYMETALS

| Analytes | LOD | LOQ | Limit | Result | Status |
|----------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.012 | 0.036 | 0.200 | ND | Pass |
| Cadmium | 0.015 | 0.044 | 0.200 | ND | Pass |
| Lead | 0.055 | 0.167 | 0.500 | ND | Pass |
| Mercury | 0.005 | 0.015 | 0.100 | ND | Pass |

Date Tested: 02/02/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan

Kevin Nolan
Laboratory Director | 02/03/2023

